INNOVATION



# **HYPER**<sup>3</sup>

World's first Triple Screw Pump for food, beverage, and pharmaceutical industries.





■ HYPER Hygienic Pumps

# HYGIENIC SCREW PUMPS. TO THE NEXT EFFICIENCY LEVEL.

# **Superior Triple Screw Pump Technology for Premium Performance**

Screw Pumps are a very reliable and gentle-to-product option in food, beverage and pharmaceutical production. With its new HYPER<sup>3</sup> pump series, *Leistritz* is offering a real game-changer setting the pace in efficiency, high performance and hygienic standards.

Putting 100 years of successful pump engineering experience into a whole new technology brought a revolutionary and powerful solution to the industry.

The new *Leistritz* HYPER<sup>3</sup> Series is approved following industry hygienic standards.

We have also added low pulsation and exact dosing, even in minute quantities to features such as CIP (Cleaning in Place).

In addition, you benefit from a broad scope of expertise for your production process delivered by our application engineers.



# YOUR APPLICATIONS. UNDERSTOOD.

# **Example Applications with Leistritz HYPER<sup>3</sup> Pumps**

Precision dosing to stationary mixer for cream				
Product	Dairy cream with 35% fat content			
Flow rate	0.4 - 0.8 m <sup>3</sup> /h			
Suction pressure	-0.3 bar			
System pressure	4 - 6 bar			
Viscosity	10 - 20 cSt			
Temperature range	5 - 15°C			
CIP (85°C)	2.5 m³/h at 2 bar			

Sugary mixed drinks and ice cream mixes				
Product	Ice cream			
Flow rate	12 m³/h			
Suction pressure	-0.3 bar			
System pressure	3.0 - 6.0 bar			
Viscosity	50 - 500 cSt			
Temperature range	5°C			
CIP (85°C)	22.5 m³/h at 1 bar			

High performance dosing pump for bottling ketchup				
Product	Ketchup with herbs			
Flow rate	3 - 6 m³/h			
Suction pressure	-0.5 bar			
System pressure	7 – 9 bar			
Viscosity	500 - 1,000 cSt			
Temperature range	20 - 30°C			
CIP (85°C)	21 m³/h at 2 bar			

Dosing of triple tomato pulp concentrate				
Product	Tomato triple concentrate			
Flow rate	3.0 m³/h			
Suction pressure	-0.7 bar			
System pressure	4.0 - 5.0 bar			
Viscosity	10,000 - 20,000 cSt			
Temperature range	10°C			
CIP (85°C)	15 m³/h at 1 bar			

"The Leistritz HYPER Pump Series handles a very broad range of viscosities, flows and pressures. Add to that optimised product protection even when processing shear-sensitive products plus top precision when dosing, even in small quantities. That is what makes our HYPER Series so special."

Angelo Perna, Product Manager



■ HYPER Hygienic Pumps

# HYPER<sup>3</sup>: ALL-IN-ONE SOLUTION FOR YOUR HYGIENIC PRODUCTION.

The *Leistritz* HYPER<sup>3</sup> Pump Series comes as a new plug-andplay solution with high pump performance and product protection – and as an option all-in-one solution in stainless steel, including an integrated motor drive. The unit is an eye-catcher thanks to its compact design, hygienic surfaces, easier cleaning inside and out. It answers to advanced demands on hygiene, efficiency and reliability.

# Benefits for your production line

- High volumetric performance
- Smooth, easy-to-clean surfaces
- Improved bearing reliability
- Completely product-flushed mechanical seal without dead spaces
- Product protection
- Optimised CIP operation
- Low pulsation flow
- Optional: hygienic all-in-one unit in stainless steel and integrated motor drive

#### **Materials**

- Wetted metal parts 1,4404/Ra < 0.8 μm
- Optional surface roughness Ra < 0.2 μm
- Wear resistance hardening 1,200 HV

# Well thought out equipment

- Quick and easy height adjustment thanks to adjustable machine feet
- Horizontal and vertical installation
- Easy installation of pumps with drive unit, bellhousing ensures optimum coupling alignment
- Stainless steel motor cover available



HYPER<sup>3</sup> Hygienic Pump Leistritz PUMP TECHNOLOGY 07

# HYPER<sup>3</sup>: POWERFUL. PRECISION DOSING.

The Leistritz HYPER<sup>3</sup> represents a pumping innovation with an unrivalled combination of performance and compact design. In it, the triple screw pump technology takes advantage of a hydrodynamic floatation principle, employed with a spotless track record in countless industrial applications. The result is a best-in-class answer to highest demands on product protection and precision dosing.

## Benefits for your production line

- Highest efficiency in Screw Pumps
- Precision in dosing even smallest quantities
- Compact design and low weight
- Optimised CIP operation
- Minimum pulsation
- Improved, easy cleaning inside and out thanks to Leistritz Hygienic Body Design
- No synchronization needed
- Absolutely oil-free operation



# **Certificates** ■ Elastomers FDA certified ■ NSF H1 registered lubricants Machinery directives:

#### Technical Data: HYPER<sup>3</sup>

Pump type	20	30	50
Flow rate (m³/h)	0.02 - 2.6	0.1 - 8.8	0.2 - 22.7
Differential pressure (bar) up to	16	25	25
Speed (rpm) up to		3,000	
Particle size (Ø/mm) up to	5	7	10
Viscosity (cSt)		0.5 - 1,000,000	

Dosing precision High dosing precision even for smallest quantities thanks to tight tolerances.

Mechanical seals Plug and play due to single-acting hygienic mechanical seal without dead spaces with optional additional standardized DIN K mechanical seal.

Oil-free operation Absolutely oil-free operation, thus highest cleanliness of product and system.

Regulation No. 1935/2004 Regulation No. 2023/2006 Regulation No. 10/2011r

**Unparalleled versatility** 

Thanks to the modular design

of the basic pump, all common

hygienic flanges and customer-

specific flanges can be easily

attached and exchanged:

■ DIN 32676 (Tri-Clamp)

■ All customer specific flanges

■ DIN 11864-2

■ DIN 11864-1 ■ DIN 11851

■ SMS 1145

# You Never Pump Alone.

# Global Services for the Food & Beverage and Pharmaceuticals Industry.

Leistritz Service is streamlined to meet the demands of your food & beverages and pharmaceuticals production sites all over the world. We are at your side to safeguard the reliable, trouble-free operation of your production lines at all times.

We have your operations in view using digital technology – supported by a global network of qualified partners close by. "You never Pump alone" is our daily business – practised in the literal sense of the term.



# Headquarters

## Leistritz Pumpen GmbH

Markgrafenstraße 36-39 90459 Nuremberg Germany

T +49 911 4306-96-6623 E hygienic@leistritz.com



## **Service Hubs**

## Leistritz Italia srl

Milano, Italy

# Leistritz Advanced Technologies Corp.

Allendale, NJ, USA

# Leistritz Machinery (Taicang) Co., Ltd.

Jiangsu & Shanghai, China

#### Leistritz SEA Pte. Ltd.

Singapore

# Leistritz India Pte Ltd.

Chennai, India

#### Leistritz Middle East (FZE)

Sharjah, United Arab Emirates

# Distributor network

for regional and local service